

09/343183

CofC



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

Taizou IKEGAWA

Patent No. 6,877,902 B2

Issue Date: April 12, 2005

Title: HYDRODYNAMIC BEARING DEVICE

REQUEST FOR RECONSIDERATION OF DENIAL OF CERTIFICATE OF CORRECTION

MAIL STOP CERTIFICATE OF CORRECTION BRANCH

Commissioner of Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

Sir:

A Request for Certificate of Correction was filed June 9, 2005 to list the foreign application priority data for the issued patent, a National Stage filing of a PCT application. The request was denied. Reconsideration of the matter is requested.

The denial was apparently based upon a perceived failure of applicant to file a copy of the certified copy in the parent application. Under pertinent regulations, the copy of the certified copy of the priority document comes from the International Bureau and priority was so acknowledged in a paper mailed March 8, 2005, copy enclosed.


Certificate
DEC 27 2005
of Correction

It is therefore respectfully submitted that the priority date properly belongs on the patent and the Request for Certificate of Correction is proper.


Please contact the undersigned at the number given below if additional information is required.

Respectfully submitted,

STEPTOE & JOHNSON LLP




Charles A. Wendel
Registration No. 24, 453



Date
CAW/tlpdg
Enclosure: Priority Acknowledgement

Attorney Docket No.: 28951.5273
STEPTOE & JOHNSON LLP
1330 Connecticut Ave., N.W.
Washington, DC 20036-1795
Telephone: 202-429-3000




UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/343,183	01/28/2003	Taizou Ikegawa	YMOR:273	9097

6160 7590 03/08/2005

PARKHURST & WENDEL, LLP
1421 PRINCE STREET
SUITE 210
ALEXANDRIA, VA 22314-2805



EXAMINER

FOOTLAND, LENARD A

ART UNIT PAPER NUMBER

3682

DATE MAILED: 03/08/2005

PRIORITY ACKNOWLEDGMENT

- ☐ 1. Receipt is acknowledged of priority papers submitted under 35 U.S.C. 119. The papers have been placed of record in the file.
- ☒ 2. Applicant's claim for priority, based on papers filed in parent Application Number PCT/JP02/05028 submitted under 35 U.S.C. 119, is acknowledged.
- ☐ 3. The priority papers, submitted _____, after payment of the issue fee are
- ☐ acknowledged
- While the priority claim or certified copy filed will be placed in the file record, neither will be reviewed and the patent when published will not include the priority claim.
- See 37 CFR 1.55(a)(2).
- ☐ not acknowledged since the processing fee in 37 CFR 1.17(i) has not been received.
- ☐ 4. For utility and plant applications filed on or after November 29, 2000, the priority claim is not entered because the claim was not presented within the time limit required by 37 CFR 1.55(a)(1). A petition to accept a delayed claim for priority under 35 U.S.C. 119(a) - (d) or (f), or 365(a) may be filed. See 37 CFR 1.55(c) and MPEP 201.14(a).

[Signature]
Manager, Publishing Division
Office of Patent Publication
(703) 305-8388



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

Taizou Ikegawa

Patent No. 6,877,902 B2

Issue Date: April 12, 2005

Title: HYDRODYNAMIC BEARING DEVICE

NOTICE OF CHANGE OF CORRESPONDENCE ADDRESS

US Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Sir:

Please forward all future correspondence in connection with the above-identified application to the undersigned attorney of record at the following new address:

Charles A. Wendel
STEPTOE & JOHNSON LLP
1330 Connecticut Avenue, N.W.
Washington, D.C. 20036
Telephone: (202) 429-3000
Telefax: (202) 429-3902

Respectfully submitted,

Charles A. Wendel
Reg. No. 24,453

Date: December 22, 2005

Old Attorney Docket No. YMOR:273
New Attorney Docket No. 28951.5273